

# CARES Survival Report

## All Agencies/National Data

Date of Arrest: From 01/01/2025 Through 12/31/2025 | Non-Traumatic Etiology

	OVERALL N = 140144				
	Total N (%)	Sustained ROSC (%)	Survival to hospital admission (%)	Survival to hospital discharge (%)	Survival to discharge with CPC 1 or 2 <sup>†</sup> (%)
<b>Total</b>	140144	31800 (22.7)	35555 (25.4)	14768 (10.5)	11608 (8.3)
<b>Location of Arrest</b>					
Home/Residence	100154 (71.5)	21631 (21.6)	23800 (23.8)	8953 (8.9)	6860 (6.8)
Nursing Home	15529 (11.1)	2536 (16.3)	2333 (15.0)	694 (4.5)	301 (1.9)
Public Setting	24459 (17.5)	7632 (31.2)	9422 (38.5)	5121 (20.9)	4447 (18.2)
<b>Arrest Witnessed Status</b>					
Unwitnessed	69367 (49.5)	9519 (13.7)	10403 (15.0)	3012 (4.3)	2162 (3.1)
Bystander witnessed	53148 (37.9)	16582 (31.2)	18269 (34.4)	8570 (16.1)	6929 (13.0)
911 Responder witnessed	17627 (12.6)	5699 (32.3)	6883 (39.0)	3186 (18.1)	2517 (14.3)
<b>Bystander CPR*</b>					
Bystander CPR	59728 (48.8)	13894 (23.3)	15142 (25.4)	6828 (11.4)	5511 (9.2)
No Bystander CPR	62779 (51.2)	12206 (19.4)	13528 (21.5)	4753 (7.6)	3580 (5.7)
Bystander CPR (excludes nursing home/healthcare facility events)	44398 (42.5)	10982 (24.7)	12338 (27.8)	5709 (12.9)	4779 (10.8)
No Bystander CPR (excludes nursing home/healthcare facility events)	60039 (57.5)	11718 (19.5)	13037 (21.7)	4612 (7.7)	3502 (5.8)
<b>Initial Arrest Rhythm</b>					
Shockable	25824 (18.4)	10328 (40.0)	12119 (46.9)	7501 (29.0)	6517 (25.2)
Non-shockable	114303 (81.6)	21465 (18.8)	23428 (20.5)	7259 (6.4)	5084 (4.4)
<b>AED Use</b>					
Bystander AED use*	9995 (8.2)	2589 (25.9)	2720 (27.2)	1548 (15.5)	1305 (13.1)
Bystander AED use* (excludes nursing home/healthcare facility events)	2630 (2.5)	1047 (39.8)	1218 (46.3)	865 (32.9)	811 (30.8)
Trained provider (First Responder) AED use	32754 (23.4)	7357 (22.5)	7841 (23.9)	3298 (10.1)	2677 (8.2)
<b>Utstein</b>					
Witnessed and shockable	18595 (13.3)	8318 (44.7)	9754 (52.5)	6358 (34.2)	5602 (30.1)
Bystander witnessed and shockable	15494 (11.1)	6864 (44.3)	8062 (52.0)	5167 (33.3)	4512 (29.1)
<b>Hypothermia</b>					
Field hypothermia	4459 (3.2)	1568 (35.2)	1744 (39.1)	698 (15.7)	481 (10.8)
In-hospital hypothermia/TTM (among admitted patients)	12303 (34.6)	--	--	4339 (35.3)	3041 (24.7)

**Inclusion Criteria:** An out-of-hospital cardiac arrest where resuscitation is attempted by a 911 responder (CPR and/or defibrillation). This would also include patients that received an AED shock by a bystander prior to the arrival of 911 responders.

NOTE: Analysis excludes patients with missing hospital outcome (N=283).

\*Bystander CPR and bystander AED use calculations exclude 911 Responder witnessed events.

<sup>†</sup>CPC missing for 16 patients.

# CARES Survival Report

## All Agencies/National Data

Date of Arrest: From 01/01/2025 Through 12/31/2025 | Non-Traumatic Etiology

	Age = <1 years N = 1541				
	Total N (%)	Sustained ROSC (%)	Survival to hospital admission (%)	Survival to hospital discharge (%)	Survival to discharge with CPC 1 or 2 <sup>†</sup> (%)
<b>Total</b>	1541	160 (10.4)	271 (17.6)	94 (6.1)	80 (5.2)
<b>Location of Arrest</b>					
Home/Residence	1438 (93.3)	149 (10.4)	250 (17.4)	86 (6.0)	73 (5.1)
Nursing Home	2 (0.1)	1 (50.0)	1 (50.0)	1 (50.0)	1 (50.0)
Public Setting	101 (6.6)	10 (9.9)	20 (19.8)	7 (6.9)	6 (5.9)
<b>Arrest Witnessed Status</b>					
Unwitnessed	1197 (77.7)	75 (6.3)	140 (11.7)	21 (1.8)	15 (1.3)
Bystander witnessed	287 (18.6)	65 (22.6)	101 (35.2)	52 (18.1)	45 (15.7)
911 Responder witnessed	57 (3.7)	20 (35.1)	30 (52.6)	21 (36.8)	20 (35.1)
<b>Bystander CPR*</b>					
Bystander CPR	717 (48.3)	82 (11.4)	134 (18.7)	48 (6.7)	40 (5.6)
No Bystander CPR	767 (51.7)	58 (7.6)	107 (14.0)	25 (3.3)	20 (2.6)
Bystander CPR (excludes nursing home/healthcare facility events)	707 (48.0)	81 (11.5)	132 (18.7)	46 (6.5)	38 (5.4)
No Bystander CPR (excludes nursing home/healthcare facility events)	765 (52.0)	58 (7.6)	106 (13.9)	25 (3.3)	20 (2.6)
<b>Initial Arrest Rhythm</b>					
Shockable	39 (2.5)	8 (20.5)	9 (23.1)	4 (10.3)	3 (7.7)
Non-shockable	1502 (97.5)	152 (10.1)	262 (17.4)	90 (6.0)	77 (5.1)
<b>AED Use</b>					
Bystander AED use*	8 (0.5)	2 (25.0)	2 (25.0)	1 (12.5)	1 (12.5)
Bystander AED use* (excludes nursing home/healthcare facility events)	3 (0.2)	1 (33.3)	1 (33.3)	0 (0.0)	0 (0.0)
Trained provider (First Responder) AED use	316 (20.5)	16 (5.1)	40 (12.7)	9 (2.8)	8 (2.5)
<b>Utstein</b>					
Witnessed and shockable	13 (0.8)	6 (46.2)	6 (46.2)	4 (30.8)	3 (23.1)
Bystander witnessed and shockable	12 (0.8)	5 (41.7)	5 (41.7)	3 (25.0)	2 (16.7)
<b>Hypothermia</b>					
Field hypothermia	46 (3.0)	10 (21.7)	13 (28.3)	9 (19.6)	9 (19.6)
In-hospital hypothermia/TTM (among admitted patients)	73 (26.9)	--	--	19 (26.0)	15 (20.5)

**Inclusion Criteria:** An out-of-hospital cardiac arrest where resuscitation is attempted by a 911 responder (CPR and/or defibrillation). This would also include patients that received an AED shock by a bystander prior to the arrival of 911 responders.

NOTE: Analysis excludes patients with missing hospital outcome (N=12).

\*Bystander CPR and bystander AED use calculations exclude 911 Responder witnessed events.

<sup>†</sup>CPC missing for 0 patients.

# CARES Survival Report

## All Agencies/National Data

Date of Arrest: From 01/01/2025 Through 12/31/2025 | Non-Traumatic Etiology

	Age = 1 - 12 years N = 1189				
	Total N (%)	Sustained ROSC (%)	Survival to hospital admission (%)	Survival to hospital discharge (%)	Survival to discharge with CPC 1 or 2 <sup>†</sup> (%)
<b>Total</b>	1189	278 (23.4)	442 (37.2)	188 (15.8)	145 (12.2)
<b>Location of Arrest</b>					
Home/Residence	978 (82.3)	202 (20.7)	333 (34.0)	127 (13.0)	95 (9.7)
Nursing Home	15 (1.3)	8 (53.3)	10 (66.7)	8 (53.3)	2 (13.3)
Public Setting	196 (16.5)	68 (34.7)	99 (50.5)	53 (27.0)	48 (24.5)
<b>Arrest Witnessed Status</b>					
Unwitnessed	724 (60.9)	129 (17.8)	216 (29.8)	70 (9.7)	46 (6.4)
Bystander witnessed	390 (32.8)	121 (31.0)	180 (46.2)	92 (23.6)	77 (19.7)
911 Responder witnessed	75 (6.3)	28 (37.3)	46 (61.3)	26 (34.7)	22 (29.3)
<b>Bystander CPR*</b>					
Bystander CPR	588 (52.8)	153 (26.0)	233 (39.6)	99 (16.8)	75 (12.8)
No Bystander CPR	526 (47.2)	97 (18.4)	163 (31.0)	63 (12.0)	48 (9.1)
Bystander CPR (excludes nursing home/healthcare facility events)	557 (51.5)	140 (25.1)	217 (39.0)	90 (16.2)	72 (12.9)
No Bystander CPR (excludes nursing home/healthcare facility events)	525 (48.5)	97 (18.5)	163 (31.0)	63 (12.0)	48 (9.1)
<b>Initial Arrest Rhythm</b>					
Shockable	95 (8.0)	37 (38.9)	55 (57.9)	37 (38.9)	34 (35.8)
Non-shockable	1094 (92.0)	241 (22.0)	387 (35.4)	151 (13.8)	111 (10.1)
<b>AED Use</b>					
Bystander AED use*	44 (3.9)	19 (43.2)	24 (54.5)	15 (34.1)	11 (25.0)
Bystander AED use* (excludes nursing home/healthcare facility events)	25 (2.3)	12 (48.0)	16 (64.0)	10 (40.0)	9 (36.0)
Trained provider (First Responder) AED use	265 (22.3)	49 (18.5)	82 (30.9)	22 (8.3)	18 (6.8)
<b>Utstein</b>					
Witnessed and shockable	60 (5.0)	31 (51.7)	43 (71.7)	31 (51.7)	30 (50.0)
Bystander witnessed and shockable	49 (4.1)	25 (51.0)	34 (69.4)	24 (49.0)	24 (49.0)
<b>Hypothermia</b>					
Field hypothermia	35 (3.0)	8 (22.9)	14 (40.0)	9 (25.7)	7 (20.0)
In-hospital hypothermia/TTM (among admitted patients)	111 (25.1)	--	--	41 (36.9)	22 (19.8)

**Inclusion Criteria:** An out-of-hospital cardiac arrest where resuscitation is attempted by a 911 responder (CPR and/or defibrillation). This would also include patients that received an AED shock by a bystander prior to the arrival of 911 responders.

NOTE: Analysis excludes patients with missing hospital outcome (N=5).

\*Bystander CPR and bystander AED use calculations exclude 911 Responder witnessed events.

<sup>†</sup>CPC missing for 0 patients.

# CARES Survival Report

## All Agencies/National Data

Date of Arrest: From 01/01/2025 Through 12/31/2025 | Non-Traumatic Etiology

	Age = 13 - 18 years N = 753				
	Total N (%)	Sustained ROSC (%)	Survival to hospital admission (%)	Survival to hospital discharge (%)	Survival to discharge with CPC 1 or 2 <sup>†</sup> (%)
<b>Total</b>	753	233 (30.9)	309 (41.0)	151 (20.1)	138 (18.3)
<b>Location of Arrest</b>					
Home/Residence	549 (72.9)	133 (24.2)	178 (32.4)	66 (12.0)	57 (10.4)
Nursing Home	3 (0.4)	2 (66.7)	3 (100.0)	1 (33.3)	0 (0.0)
Public Setting	201 (26.7)	98 (48.8)	128 (63.7)	84 (41.8)	81 (40.3)
<b>Arrest Witnessed Status</b>					
Unwitnessed	420 (55.8)	86 (20.5)	110 (26.2)	35 (8.3)	30 (7.1)
Bystander witnessed	259 (34.4)	123 (47.5)	164 (63.3)	100 (38.6)	93 (35.9)
911 Responder witnessed	74 (9.8)	24 (32.4)	35 (47.3)	16 (21.6)	15 (20.3)
<b>Bystander CPR*</b>					
Bystander CPR	377 (55.5)	137 (36.3)	173 (45.9)	100 (26.5)	88 (23.3)
No Bystander CPR	302 (44.5)	72 (23.8)	101 (33.4)	35 (11.6)	35 (11.6)
Bystander CPR (excludes nursing home/healthcare facility events)	366 (55.0)	130 (35.5)	165 (45.1)	96 (26.2)	86 (23.5)
No Bystander CPR (excludes nursing home/healthcare facility events)	299 (45.0)	71 (23.7)	99 (33.1)	34 (11.4)	34 (11.4)
<b>Initial Arrest Rhythm</b>					
Shockable	138 (18.4)	88 (63.8)	106 (76.8)	85 (61.6)	83 (60.1)
Non-shockable	614 (81.6)	144 (23.5)	202 (32.9)	65 (10.6)	54 (8.8)
<b>AED Use</b>					
Bystander AED use*	50 (7.4)	33 (66.0)	40 (80.0)	33 (66.0)	31 (62.0)
Bystander AED use* (excludes nursing home/healthcare facility events)	46 (6.9)	29 (63.0)	36 (78.3)	31 (67.4)	30 (65.2)
Trained provider (First Responder) AED use	201 (26.7)	54 (26.9)	72 (35.8)	36 (17.9)	35 (17.4)
<b>Utstein</b>					
Witnessed and shockable	106 (14.1)	70 (66.0)	87 (82.1)	72 (67.9)	71 (67.0)
Bystander witnessed and shockable	90 (12.0)	64 (71.1)	76 (84.4)	65 (72.2)	64 (71.1)
<b>Hypothermia</b>					
Field hypothermia	23 (3.1)	13 (56.5)	14 (60.9)	5 (21.7)	3 (13.0)
In-hospital hypothermia/TTM (among admitted patients)	89 (28.8)	--	--	35 (39.3)	32 (36.0)

**Inclusion Criteria:** An out-of-hospital cardiac arrest where resuscitation is attempted by a 911 responder (CPR and/or defibrillation). This would also include patients that received an AED shock by a bystander prior to the arrival of 911 responders.

NOTE: Analysis excludes patients with missing hospital outcome (N=5).

\*Bystander CPR and bystander AED use calculations exclude 911 Responder witnessed events.

<sup>†</sup>CPC missing for 0 patients.

# CARES Survival Report

## All Agencies/National Data

Date of Arrest: From 01/01/2025 Through 12/31/2025 | Non-Traumatic Etiology

	Age = >18 years N = 136516				
	Total N (%)	Sustained ROSC (%)	Survival to hospital admission (%)	Survival to hospital discharge (%)	Survival to discharge with CPC 1 or 2 <sup>†</sup> (%)
<b>Total</b>	136516	31087 (22.8)	34472 (25.3)	14301 (10.5)	11218 (8.2)
<b>Location of Arrest</b>					
Home/Residence	97085 (71.1)	21118 (21.8)	22995 (23.7)	8650 (8.9)	6615 (6.8)
Nursing Home	15509 (11.4)	2525 (16.3)	2319 (15.0)	684 (4.4)	298 (1.9)
Public Setting	23920 (17.5)	7443 (31.1)	9158 (38.3)	4967 (20.8)	4305 (18.0)
<b>Arrest Witnessed Status</b>					
Unwitnessed	66996 (49.1)	9223 (13.8)	9928 (14.8)	2882 (4.3)	2069 (3.1)
Bystander witnessed	52131 (38.2)	16249 (31.2)	17791 (34.1)	8305 (15.9)	6697 (12.8)
911 Responder witnessed	17387 (12.7)	5615 (32.3)	6753 (38.8)	3114 (17.9)	2452 (14.1)
<b>Bystander CPR*</b>					
Bystander CPR	58007 (48.7)	13512 (23.3)	14586 (25.1)	6573 (11.3)	5303 (9.1)
No Bystander CPR	61112 (51.3)	11959 (19.6)	13131 (21.5)	4613 (7.5)	3463 (5.7)
Bystander CPR (excludes nursing home/healthcare facility events)	42735 (42.3)	10624 (24.9)	11813 (27.6)	5472 (12.8)	4581 (10.7)
No Bystander CPR (excludes nursing home/healthcare facility events)	58379 (57.7)	11473 (19.7)	12643 (21.7)	4473 (7.7)	3386 (5.8)
<b>Initial Arrest Rhythm</b>					
Shockable	25539 (18.7)	10189 (39.9)	11946 (46.8)	7374 (28.9)	6396 (25.0)
Non-shockable	110962 (81.3)	20892 (18.8)	22519 (20.3)	6920 (6.2)	4816 (4.3)
<b>AED Use</b>					
Bystander AED use*	9882 (8.3)	2535 (25.7)	2654 (26.9)	1499 (15.2)	1262 (12.8)
Bystander AED use* (excludes nursing home/healthcare facility events)	2554 (2.5)	1005 (39.4)	1165 (45.6)	824 (32.3)	772 (30.2)
Trained provider (First Responder) AED use	31959 (23.4)	7236 (22.6)	7644 (23.9)	3230 (10.1)	2615 (8.2)
<b>Utstein</b>					
Witnessed and shockable	18407 (13.5)	8207 (44.6)	9617 (52.2)	6251 (34.0)	5498 (29.9)
Bystander witnessed and shockable	15336 (11.2)	6767 (44.1)	7946 (51.8)	5075 (33.1)	4422 (28.8)
<b>Hypothermia</b>					
Field hypothermia	4351 (3.2)	1536 (35.3)	1702 (39.1)	674 (15.5)	462 (10.6)
In-hospital hypothermia/TTM (among admitted patients)	12009 (34.8)	--	--	4233 (35.2)	2963 (24.7)

**Inclusion Criteria:** An out-of-hospital cardiac arrest where resuscitation is attempted by a 911 responder (CPR and/or defibrillation). This would also include patients that received an AED shock by a bystander prior to the arrival of 911 responders.

NOTE: Analysis excludes patients with missing hospital outcome (N=257).

\*Bystander CPR and bystander AED use calculations exclude 911 Responder witnessed events.

<sup>†</sup>CPC missing for 16 patients.